

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|---|------------------|---------|------------------|
| S11 | 6 | Shachar-Yehoshua.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/06 12:47 |
| S34 | 1048 | (navigat\$3 guid\$3 control\$3 maneuver\$4 operat\$3) with (magnet electromagnet magnetic) with (catheter guidewire endoscope) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/07 15:06 |
| S35 | 130182 | (magnet electromagnet magnetic) same ((position location orientation) with (measur\$3 determin\$3 detect\$3 sens\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/07 09:31 |
| S36 | 315 | S34 and S35 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/07 11:11 |
| S37 | 42 | "virtual tip" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/07 11:11 |
| S38 | 34 | S34 and servo | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/07 11:39 |
| S39 | 1048 | (navigat\$3 guid\$3 control\$3 maneuver\$4 operat\$3) with (magnet electromagnet magnetic) with (catheter guidewire endoscope) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/07 15:56 |
| S40 | 131 | S39 and ((remote with control) joystick) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/07 15:16 |
| S41 | 99 | S39 and calibrat\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/07 15:26 |
| S42 | 418 | "calibration fixture" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/07 15:26 |
| S43 | 26 | "calibration fixture" same (magnet magnetic magnetically) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/07 15:42 |
| S44 | 170 | virtual with (catheter guidewire) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/07 15:42 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S45 | 2 | S39 and (x-axis with controller) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/07 15:58 |
| S46 | 20 | (x-axis near controller) and (y-axis near controller) and (z-axis near controller) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/07 16:00 |
| S47 | 352 | (x-axis with y-axis with z-axis with controller) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/07 16:01 |
| S48 | 4 | "piezoelectric rings" with catheter | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/07 16:17 |
| S51 | 4 | "piezoelectric ring" with catheter | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/07 16:18 |
| S52 | 65 | S39 and piezoelectric\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/07 16:21 |
| S53 | 6710 | closed with loop with servo | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/07 16:22 |
| S54 | 2 | S39 and S53 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/07 16:22 |
| S55 | 65 | S53 and "600"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/07 16:22 |
| S56 | 134 | "magnetic field sensor" with "temperature sensor" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/08 09:04 |
| S57 | 83 | (magnetic adj field adj sensor) with temperature with sensitiv\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/08 09:06 |
| S58 | 134 | (magnetic adj field adj sensor) with (temperature adj sensor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/08 09:23 |
| S59 | 271 | (magnetic adj sensor) with (temperature adj sensor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/08 09:12 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S60 | 260 | S59 not S58 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/08 09:07 |
| S61 | 249 | (magnetic with temperature with sensor with compensat\$4) | US-PGPUB; USPAT | OR | ON | 2006/02/08 09:21 |
| S63 | 3 | (magnetic with thermistor with sensor with compensat\$4) | US-PGPUB; USPAT | OR | ON | 2006/02/08 09:21 |
| S64 | 7 | ((magnetic adj field adj sensor) with (temperature adj sensor)) with compensat\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/08 09:23 |
| S65 | 115 | (magnetic adj field adj sensor) with (temperature adj sensor) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/02/08 09:23 |
| S66 | 6 | ((magnetic adj field adj sensor) with (temperature adj sensor)) with compensat\$5 | US-PGPUB; USPAT | OR | ON | 2006/02/08 09:24 |
| S67 | 1836 | "c-arm" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/08 09:28 |
| S68 | 1048 | (navigat\$3 guid\$3 control\$3 maneuver\$4 operat\$3) with (magnet electromagnet magnetic) with (catheter guidewire endoscope) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/08 09:28 |
| S69 | 48 | "c-arm" and S68 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/08 11:18 |
| S70 | 7 | S69 and piezoelectric | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/08 10:13 |
| S71 | 21 | S69 and electromagnet | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/08 10:23 |
| S72 | 22 | S68 and (tactile with feedback) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/08 10:23 |
| S73 | 2 | encoder with "limit switch" with "operator switch" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/08 13:18 |
| S75 | 25 | (remote with surgery) same (tactile with feedback) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2006/02/08 13:19 |